



WALL R600 **CUMBRIA BEECH** \*

FLOOR R645 **BECKETT MAPLE** \*

\* Design is also available in a  
Loose Lay and Rigid Core Click format

**avara**™  
LUXURY VINYL FLOOR & WALL

R876 FERGANA WALNUT \*

\* Design is also available in a  
Loose Lay and Rigid Core Click format

avara™





# avara<sup>TM</sup>

## EXPLORE ALL SURFACES

Evoke a sense of comfort and tranquility with Avara 2mm luxury vinyl. Intended for floor and wall applications, these versatile designs nurture relaxation with a vignette of home in commercial and multi-family environments.



With a home-like ambiance in mind, Avara offers 23 luxury vinyl options from soft wood grains to contemporary planks. Available in 6" x 36" and 7.25" x 48" planks, these hand-selected flooring designs provoke a balance for commercial environments and multi-family spaces.

A selection of 2mm plank designs are also available in Rigid Core Click with an acoustic backing (6mm total thickness) and 5mm Loose Lay formats, offering sound reduction qualities and ease of installation and maintenance.

R874 CAROLINA WALNUT \*

\* Design is also available in a  
Loose Lay and Rigid Core Click format

avara™



WALL R663 SURREY OAK  
FLOOR R634 LISBON WALNUT

R674 HAMPTON OAK \*

\* Design is also available in a  
Loose Lay and Rigid Core Click format

WALL



avara™

Designed for a visual impact beyond the floor, Avara's LVT designs are Class A fire rated for vertical applications in interior spaces like restaurants, hotels or boutique stores. Choose from striking wood species to create movement and intrigue on an accent wall, or select a coordinating design on the floor for a seamless flow from the ground up.



**CLASS A FIRE RATED FOR WALL USE**

R872 MORaine WALNUT \*

*\* Design is also available in a  
Loose Lay and Rigid Core Click format*



avara™

# MIX & MATCH

With a balance of color and tone throughout the collection, Avara designs thrive when paired together.

Mix and match 2mm products in an interior space for an innovative design, both on the floor and on the wall.




R810 MALAY TEAK  
R872 MORAINÉ WALNUT \*  
R876 FERGANA WALNUT \*

\* Design is also available in a  
Loose Lay and Rigid Core Click format



R611 SKYLAND PINE  
R634 LISBON WALNUT  
R645 BECKETT MAPLE \*  
R682 HALLE CEDAR \*

\* Design is also available in a  
Loose Lay and Rigid Core Click format



\*Image based on 2mm luxury vinyl plank and tile construction.

## THE DIFFERENCE

Parterre has been the leader in crafting plank and tile flooring and surfaces with a strong focus on clarity, durability and stability by utilizing our unique production process, the Hot Press Method.

For Avara Luxury Vinyl Floor & Wall products, the Hot Press Method uses high heat and pressure to fuse together the wear layer and multiple layers of backing. Each backing layer is rotated to create a locking system that helps with stabilization, making it less prone to reshaping and resizing. The high heat and pressure from the hot press preserves clarity to the wear layer, allowing for more realistic designs and embossings. The result is a quality-crafted, premium vinyl flooring and surface.

## TEST DATA

Avara Luxury Vinyl flooring shall meet requirements of ASTM-F 1700 for composition, size, thickness, squareness, flexibility, dimensional stability, and resistance to chemicals. ASTM-E648 for Class 1 Critical Radiant Flux of 0.45 watts/cm<sup>2</sup> or greater; ASTM-E662 for Smoke Generation of not greater than 450; and ASTM-D2047 for Slip Resistance and compliance with ADA recommendations. Parterre flooring is indoor air quality certified, conforming to California Specification 1350. All LVT from the Avara collection are FloorScore® certified.



### CLASS A FIRE RATED FOR WALL USE

Avara's products are ASTM-E84 Class A fire rated for use on walls.

## CUSTOM VARIATIONS

Custom sizes, colors, designs, surface embossings and finishes are available. Custom orders are subject to minimum order requirements.

For complete technical information and instructions, visit [parterreflooring.com](http://parterreflooring.com) or call 888.338.1029.

## 2MM PLANK SPECIFICATIONS

**Product Thickness:** 2mm


**Wear Layer:** 10 mil.

**Finish:** Polyurethane Protective Coating

**Warranty - Floor:** 15-Year Residential / 6-Year Light Commercial

**Warranty - Wall:** 10-Year Commercial & Residential





View the full collection at: [parterreflooring.com/avara](http://parterreflooring.com/avara)

888.338.1029