Luxury Vinyl Tile and Plank by Parterre Flooring Systems

HPD UNIQUE IDENTIFIER: 26020

CLASSIFICATION: 09 65 19.19 Vinyl Composition Tile Flooring

Health Product Declaration v2.2 created via: HPDC Online Builder

PRODUCT DESCRIPTION: LUXURY VINYL TILE AND PLANK Focusing on clarity, durability and stability, Parterre luxury vinyl tile and plank is comprised of multiple layers of backing that fuse together with a clear wear layer using high heat and pressure for a quality-crafted premium vinyl floor. With its naturally water, scratch, stain, and scuff resistant qualities and polyurethane coating, Parterre luxury vinyl tile and plank is ideal for any commercial interior space. RIGID CORE Rigid Core Luxury Vinyl Plank offers a highly durable commercial flooring solution with its composite core construction and innovative locking systems for a glueless installation. With its naturally water, scratch, stain, and scuff resistant qualities and polyurethane coating, Rigid Core Luxury Vinyl is ideal for any commercial interior space. This HPD covers 3.0 mm LVT with 0.5mm wear layer and 2.0mm LVT with 0.25mm wear layer. Classification#: 09 65 16.23 Vinyl Sheet Flooring.

🟮 Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
 Basic Method
- Threshold Disclosed Per
- O Material
- Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Other

Residuals/Impurities © Considered © Partially Considered © Not Considered Explanation(s) provided for Residuals/Impurities? © Yes © No

Basic Method / Product Threshold

 All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

 Screened
 O Yes Ex/SC O Yes O No

 All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC O Yes O No

 All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LUXURY VINYL TILE AND PLANK [CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg CALCIUM STEARATE LT-UNK ZINC STEARATE LT-P1 GUM ROSIN LT-P1 | SKI CARBON BLACK BM-1 | CAN BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

INVENTORY AND SCREENING NOTES:

Nanomaterial ... No

Benchmark or List translator Score ... BM-1

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? • Yes • No PREPARER: Self-Prepared VERIFIER: SCS Global Services VERIFICATION #: qGE-6276 SCREENING DATE: 2021-08-20 PUBLISHED DATE: 2021-09-03 EXPIRY DATE: 2024-08-20 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LUXURY VINYL TILE AND PLANK								
PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes								
RESIDUALS AND IMPURITIES NOTES: Parterre Flooring Systems worked with a Third Party HPD Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD.								
ОТ	OTHER PRODUCT NOTES:							
6	CALCIUM CARBONATE					ID: 471-34-1		
ŀ	AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-20 20:16:42					
9	%: 58.5800 - 71.8300	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Str	ucture component		
	HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS				
None found No warnings found on HP						iority Hazard Lists		
	SUBSTANCE NOTES: The Gree	nScreen Benchmark® assessment score o	f BM-3 was p	provided thro	ough the HPD 2.2 Builder	Tool.		
1								
F	OLYVINYL CHLORIDE (PVC)					ID: 9002-86-2		
ŀ	AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	y HAZARD SCREENING DATE: 2021-08-20 20:16:43					
9	%: 22.4500 - 30.0800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Str	ucture component		
	HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS				
	RES AOEC - Asthmagens			Asthmagen (Rs) - sensitizer-induced				
	SUBSTANCE NOTES: A range is	s given to protect the proprietary nature of	the formulati	on.				
1								
E	BIS(2-ETHYLHEXYL) TEREPHTH	IALATE				ID: 6422-86-2		
ŀ	AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-08-20 20:16:	43		
9	%: 7.4900 - 11.5100	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Str	ucture component		
	HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS				
	None found			No w	arnings found on HPD Pr	iority Hazard Lists		
SUBSTANCE NOTES: The GreenScreen Benchmark® assessment score of BM-3dg was provided through the HPD 2.2 Builder Tool.								
1								
6	CALCIUM STEARATE					ID: 1592-23-0		
ŀ	AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-08-20 20:16:	44		

%: 0.2900 - 0.3500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF				
None found	one found No warnings found on HPD Priority Hazard Lists					
SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.						
ZINC STEARATE				ID: 557-05-1		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-08-20 20:16:44		
%: 0.2900 - 0.3500	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found	None found No warnings found on HPD Priority Hazard L					
SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.						
GUM ROSIN				ID: 8050-09-7		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-08-20 20:16:45		
%: 0.1500 - 0.2500	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS			
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization				
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]				
SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.						
, v						
CARBON BLACK				ID: 1333-86-4		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-08-20 20:16:45		
%: 0.1400 - 0.1700	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS			
CAN	US CDC - Occupational Carcinogens	Осси	upational Carcino	ogen		
CAN	МАК		inogen Group 3E not sufficient for	3 - Evidence of carcinogenic effects classification		
CAN	CA EPA - Prop 65	Carc	inogen - specific	to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources				
SUBSTANCE NOTES: The carcinogenicity hazard is only relevant for the inhalation exposure route.						
BISPHENOL A-EPICHLOROHYD	RIN ACRYLATE			ID: 55818-57-0		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-08-20 20:16:46		
%: 0.1200 - 0.1800	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Sealant		

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.

TRIPROPYLENE GLYCOL DIACRYLATE

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-20 20:16:46	2021-08-20 20:16:46			
%: 0.0500 - 0.1100	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Seala	int			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitiza	ation			
MUL	German FEA - Substances Hazardous Waters	Class 2 - Hazard to Waters	Class 2 - Hazard to Waters			
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]				
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation Category 2]	on -			
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]				
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	;			

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.

Luxury Vinyl Tile and Plank hpdrepository.hpd-collaborative.org ID: 42978-66-5

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Parterre Flooring Systems, 500 Research	ISSUE DATE: 2020-12-01	EXPIRY DATE: 2021-11-30	CERTIFIER OR LAB: SCS Global Services	
Drive, Wilmington, MA, United States CERTIFICATE URL:				

https://www.scscertified.com/products/cert_pdfs/Parterre_2020_SCS-

FS-04427_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Registration # SCS-FS-04427. The products Vertu Luxury Vinyl Plank-3mm, InGrained Resilient Plank-3mm, HardCore Luxury Vinyl Tile-3mm, Fused Luxury Vinyl Tile-3mm, Storri Luxury Vinyl -1.8mm-7mm, Parterre Custom Vinyl Plank-1.8mm-7mm, Studio Luxury Vinyl Tile, Rigid Core Luxury Vinyl Planks, and Rigid Core Luxury Vinyl Planks with IXPE conform to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017).

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PARTERRE UNIVERSAL ADHESIVE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Required to use adhesive on each plank for interior installation. VOC content is less than 16g/L. Adhesive is FloorScore certified, registration number SCS-FS-05309: https://www.scscertified.com/products/cert_pdfs/Parterre_2020_SCS-FS-05309_s.pdf

Section 5: General Notes

Residuals and impurities were considered for all raw materials and those that show up above the stated threshold were listed.

MANUFACTURER INFORMATION

MANUFACTURER: Parterre Flooring Systems ADDRESS: 3840 Hempland Rd Mountville PA 17554, US WEBSITE: https://parterreflooring.com/

CONTACT NAME: Angelica LeBlanc TITLE: Product Marketing Manager PHONE: 978.203.5400 EMAIL: aleblanc@parterreflooring.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

BM-4 Benchmark 4 (prefer-safer chemical)LT-1 List TraBM-3 Benchmark 3 (use but still opportunity for improvement)LT-UNK ListBM-2 Benchmark 2 (use but search for safer substitutes)present on aBM-1 Benchmark 1 (avoid - chemical of high concern)information of

BM-U Benchmark Unspecified (due to insufficient data) **LT-P1** List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.