

LVT

Parterre – Unfazed™

Our flooring recommendations can help you quickly identify products designed to work in specific spaces and beyond. Partner with your Parterre sales representative as your trusted resource to help you with all the information you need to successfully select and install the right floor for all types of environments, spaces and buildings.

“•” Recommended flooring choice(s) for the space.

Numerical footnotes (1, 2, 3, etc.) apply to the space requirements and Alpha footnotes (a, b, c, etc.) apply to the product’s suitability for the space. *See below for details.*

| | Unfazed™ |
|--|----------|
| Healthcare/Hospital Environments (a) | |
| Cafeteria, Dining Area (d) | |
| Chapel | |
| Commercial Parking Garage Walkways (covered) | |
| Computer Training Rooms (5) | |
| Corridors | |
| Critical/Intensive Care | |
| Data Warehousing | |
| Dialysis (f) | |
| Dry Physical Therapy | |
| Elevators | |
| Emergency Rooms | |
| Exam/Procedure Rooms | |
| Gift Shop | |
| Hydro Physical Therapy | (3) |
| Hyperbaric Room | (5) |
| Labor Delivery Rooms | |
| Laboratories | |
| Lavatories | |
| Lobby | |
| Nurses Station | |
| Office/Administrative/Conference Room | |
| Operating Rooms (b) | (1) |
| Patient Rooms | |
| Pharmacy | |
| Ramps/Ramped Corridors (dry) | (3) |
| Scrub Areas | (1) |
| Stairways/Landings | |
| Staff Lounge | |
| Telecommunications Center | |
| Utility/Storage Room/Filing | |
| Waiting Rooms | |
| Around Swimming Pools | |
| Around Whirlpools/Spas | |
| Showers/Shower Rooms | |

| | Unfazed™ |
|--|----------|
| Assisted Living | |
| Activity Rooms/Common Areas | • |
| Beauty Salon/Barber Shop | • |
| Corridors | • |
| Main Dining Areas (d) | |
| Doctor/Dentist Office | • |
| Lobby | |
| Residence Bathrooms (f) | • |
| Residence Kitchens | • |
| Residence Rooms | • |
| Around Swimming Pools | |
| Around Whirlpools/Spas | |
| Showers/Shower Rooms | |
| Exercise Rooms/Yoga, Fitness & Dance Studios | |
| Education | |
| Auditoriums | |
| Cafeteria, Dining Area (d) | |
| Classrooms/Lecture Halls | |
| Commercial Parking Garage Walkways (covered) | |
| Computer Repair Areas | |
| Computer Training Rooms (5) | |
| Corridors | |
| Data Warehousing | |
| Dormitory Rooms | • |
| Elevators | |
| Entryways/Foyers (f) | |
| Food Service Area (d) | |
| Gymnasium | |
| Laboratories | |
| Lavatories | |
| Library | |
| Locker Rooms (no spikes) | (3) |
| Multipurpose Room/Cafetorium | |
| Office/Administrative/Conference Room | |
| Ramps/Ramped Corridors (dry) | (3) |
| Stairways/Landings | |
| Teacher's Lounge | |
| Telecommunications Center | |
| Utility/Storage Areas | |
| Around Swimming Pools | |
| Around Whirlpools/Spas | |
| Showers/Shower Rooms | |

| | Unfazed™ |
|--|----------|
| Hospitality | |
| Commercial Parking Garage Walkways (covered) | |
| Corridors | |
| Dance Floors | |
| Dining Areas (d) | |
| Elevators | |
| Entryways/Foyers (f) | |
| Exercise Rooms/Yoga, Fitness & Dance Studios | |
| Guest Bathrooms (f) | |
| Guest Rooms | |
| Lobby | |
| Lounge | |
| Stairways/Landings | |
| Vending Areas (f) | |
| Around Swimming Pools | |
| Around Whirlpools/Spas | |
| Showers/Shower Rooms | |
| Commercial Kitchen (d) | |
| Guest Room Kitchenette | • |
| Breakroom | • |
| Office | • |
| Retail/Stores | |
| Automobile Showrooms | |
| Checkout/Cash Wrap | |
| Computer Repair Areas | |
| Entryways/Foyers (f) | |
| Fast Food Counters (in front) | |
| Floral Areas | |
| Food Service (d) | |
| Frozen Food | |
| Indoor Mall Common Areas | |
| Laundromats | |
| Pet Shops | |
| Produce Area | |
| Sales Floor – Department Stores | |
| Sales Floor – Grocery | |
| Sales Floor – Mass Merchant | |
| Military Housing/Light Commercial | |
| Activity Rooms/Common Areas | • |
| Beauty Salon/Barber Shop | • |
| Corridors | • |
| Daycare Areas | • |
| Dining Areas (d) | • |
| Doctor/Dentist Office | • |
| Residence Bathrooms (f) | • |
| Residence Kitchens | • |
| Residence Rooms/Barracks | • |
| Exercise Rooms/Yoga, Fitness & Dance Studios | |
| Showers/Shower Rooms | |

| | Unfazed™ |
|---|----------|
| Public Venues | |
| Office/Retail (Airport/Railway/Bus Terminals) | |
| Office/Meeting Rooms (Civic/Convention Centers) | |
| Museums/Cultural Centers | |
| Corporate Environments | |
| Cafeteria, Dining Area (d) | |
| Commercial Parking Garage Walkways (covered) | |
| Computer Repair Areas | |
| Computer Training Rooms (5) | |
| Corridors | |
| Data Warehousing | |
| Elevators | |
| Entryways/Foyers (f) | |
| Lavatories | |
| Lobby | |
| Lunchrooms (d) | |
| Offices/Conference Rooms | |
| Stairways/Landings | |
| Telecommunication Center | |
| Utility/Storage Rooms | |
| Exercise Rooms/Yoga, Fitness & Dance Studios | |
| Showers/Shower Rooms | |
| Light Industrial (e) | |
| Clean Rooms | |
| Computer Lab Repair Areas | (5) |
| Computer Training Rooms (5) | |
| Data Warehousing | |
| Electronic Testing Lab | (5) |
| Electronics Manufacturing | (5) |
| Environmental Conditioning Lab (h) | |
| Offices/Conference Rooms | |
| Photo Processing | |
| Production Laboratory | |
| Research Laboratory | |
| Small Parts Assembly | |
| Sterile Packaging | |
| Telecommunications Center | |

IN ADDITION TO SPACES LISTED ON THESE CHARTS: Light Commercial Products from Parterre Flooring may be used on stairsteps, risers and landings. A manufactured slip-retardant nosing should always be applied on steps;

NOTES: Numerical footnotes (1, 2, 3, etc.) apply to the space requirements; Alpha footnotes (a, b, c, etc.) apply to the product's suitability for the space. The numerical and alpha footnotes are consistent across all Recommended Applications Charts. Depending upon the category, product and space requirements, some footnotes may not appear.

- (a) In most cases veterinary applications are similar.
 - (b) Only operating rooms not requiring conductive flooring.
 - (c) Only recommended for accents and borders.
 - (d) Parterre floors are not recommended for commercial kitchens and commercial food processing areas, including behind fast-food counters.
 - (e) Most Parterre floors are not recommended for heavy industrial areas.
 - (f) No standing water; walk-off mats required.
 - (g) Not recommended in laboratories that require special decontamination procedures on surfaces, including floors.
 - (h) Only homogeneous products are recommended in low temperature environmental conditioning units NOT below 34° F.
 - (i) Abode is recommended only for light commercial spaces including daycare, beauty salons and hotel/motel bathrooms.
 - (j) Safety Zone Sheet is only recommended for certain areas where people will be walking with bare feet or soft- soled footwear. Safety Zone Sheet is not recommended for areas over 150 sq. ft., nor around swimming pools.
-
- 1) Aseptic Area - hygienic conditions are of critical importance.
 - 2) Recommended for use without grout.
 - 3) Slip Retardance - a more secure walking surface is required.
 - 4) May be installed with S-1840 Quiet Comfort™ Luxury Flooring Underlayment. The installation must be double stick (underlayment adhered to flooring and subfloor).
 - 5) Not recommended in applications that require electrostatic discharge control.
 - 6) Glue down installation.
 - 7) Not recommended in areas where heavy free weights are used.
 - 8) Water resistance - wet area installation is needed (flash coving, sealed seams).
 - 9) Full Spread or Modified Loose Lay with Perimeter Adhesive recommended. In spaces where the room does NOT exceed 20 ft. in any direction, floor can be installed without adhesive.